



# Cellular & Pleated Shades

Product Information	D1 - D2
Color Charts	D3 - D4
Motorized	D5
Pricing Charts	D6 - 10
Samples	D11
Measuring Instructions	D12
Install Instructions	D13
PerfectFit Instructions	D14
Warranty	D15
Parts and Pieces	Reference

# Product Information

## Standard Shade Includes

### Standard

- Matching Headrail and Bottom Rail
- Left or Right Lift Control Cord
- 2 Brackets for Shades 40" and under. 3 Brackets for Shades 41" to 64". 4 Brackets for Shades 65" to 84". 5 Brackets for Shades 85" to 105". 6 Brackets for Shades 106" to 144".

### Top Down Bottom Up

- Matching Headrail and Bottom Rail
- Center Lift Control Left, Bottom Lift Control Right Cords
- 2 Brackets for Shades 40" and under. 3 Brackets for Shades 41" to 64". 4 Brackets for Shades 65" to 84". 5 Brackets for Shades 85" to 105". 6 Brackets for Shades 106" to 144".

### Cordless

- Matching Headrail and Bottom Rail
- Handle, Blinds over 36" Receive 2 Handles
- Shades 39" and under; 2 Brackets. For shades 40" to 69"; 3 Brackets. For shades 70" and up 4 Brackets.

### Cordless Top Down Bottom Up

- Matching Headrail and Bottom Rail
- Blinds over 36" Receive 2 Handles
- Shades 39" and under; 2 Brackets. For shades 40" to 69"; 3 Brackets. For shades 70" and up 4 Brackets.

### Lift-Ease

- Matching Headrail and Bottom Rail
- Right Lift Control Cord Loop
- 2 Brackets for Shades 40" and under. 3 Brackets for Shades 41" to 64". 4 Brackets for Shades 65" to 84". 5 Brackets for Shades 85" to 105". 6 Brackets for Shades 106" to 144".

### Cellular Vertical

- White Headrail and Trim
- Handle

### Skylight

- Handle
- 4 Brackets for Shades 40" and under. 6 Brackets for Shades 41" to 64". 8 Brackets for Shades 65" to 84". 10 Brackets for Shades 85" to 105". 12 Brackets for Shades 106" to 144".

### Movable Arch

- 2 Handles one on each side.
- 4 Clips for Shades 40" and under. 6 Clips for Shades 41" to 64". 8 Clips for Shades 65" to 84". 10 Clips for Shades 85" to 105". 12 Clips for Shades 106" to 144".

### Stationary Arch

- 4 Clips for Shades 40" and under. 6 Clips for Shades 41" to 64". 8 Clips for Shades 65" to 84". 10 Clips for Shades 85" to 105". 12 Clips for Shades 106" to 144".

### Motorized Wand

- Matching wand control on Left
- Shades 39" and under; 2 Brackets. For shades 40" to 69"; 3 Brackets. For shades 70" and up 4 Brackets.

### Motorized

- Remote Control of your selection.
- Shades 39" and under; 2 Brackets. For shades 40" to 69"; 3 Brackets. For shades 70" and up 4 Brackets.

### PerfectFit

- 4 Brackets for all shade sizes.

\*Not all of our fabrics have matching Headrail and Bottom Rails. Please see Page D3 for details.

## Finished Dimensions

### Inside Mount

Finished Width -3/8"

### Outside Mount

Finished Width Exact Measurement Provided

### Multiple Shades 1 Headrail

Gap between shades 1/4"

## Mounting Requirements

### Standard

Inside minimum mounting depth 1"

Inside minimum mounting depth, flush mount \* 2"

Outside minimum for flat surface 3/4"

### Top Down Bottom Up (TD/BU)

Inside minimum mounting depth 1"

Inside minimum mounting depth, flush mount \* 2"

Outside minimum for flat surface 3/4"

### Cordless

Inside minimum mounting depth 1 1/2"

Inside minimum mounting depth, flush mount \* 2"

Outside minimum for flat surface 1 1/4"

### Cordless TD/BU

Inside minimum mounting depth 1 1/2"

Inside minimum mounting depth, flush mount \* 2"

Outside minimum for flat surface 1 1/4"

### Lift-Ease

Inside minimum mounting depth 1"

Inside minimum mounting depth, flush mount \* 2"

Outside minimum for flat surface 3/4"

### Cellular Vertical

Inside minimum mounting depth 1"

Inside minimum mounting depth, flush mount \* 2"

Outside minimum for flat surface 3/4"

### Skylight

Inside minimum mounting depth 1"

Inside minimum mounting depth, flush mount \* 2"

Outside minimum for flat surface 3/4"

### Movable Arch

Inside minimum mounting depth 1"

Inside minimum mounting depth, flush mount \* 2"

Outside minimum for flat surface 3/4"

### Stationary Arch

Inside minimum mounting depth 1"

Inside minimum mounting depth, flush mount \* 2"

Outside minimum for flat surface 3/4"

### Motorized Wand

Inside minimum mounting depth 1 1/2"

Inside minimum mounting depth, flush mount \* 1 3/4"

Outside minimum for flat surface 1 1/4"

### Motorized

Inside minimum mounting depth 1 1/2"

Inside minimum mounting depth, flush mount \* 1 3/4"

Outside minimum for flat surface 1 1/4"

## Upgrades and Surcharges

Description	Additional Cost	Description	Additional Cost
Day and Night Shade	Add 2 charts together	Angle 60 1/8" and wider	818
2 on 1	153	Skylight Extension Poles 4'-8' Length	196
3 on 1	N/A	Skylight Extension Poles 6'-12' Length	251
Notch	229 per cut	Skylight Extension Poles 8'-15' Length	359
Angle up to 60" wide	578	Cellular Vertical	Charts L-N
Perfect Fit	1637		

## Control Options



Standard



TD/BU



Cordless TD/BU



Cordless



Lift-Ease




Motorized Wand




Motorized


## Specialty Shades




Cellular Vertical



Skylight



Movable Arch




Stationary Arch




PerfectFit

## Cellular Vertical Control Options


Pricing found on Charts L - N




Center Open



One Way  
Stack Right



One Way  
Stack Left



Center Stack

## Minimum and Maximums

Controls	Min Width	Max Width	Min Drop	Max Drop	Max SQ FT
Standard Head Rail	7"	144"	10"	144"	
2 on 1 Head Rail	14"	144"	5"	144"	
Cordless	12"	96"	10"	84"	44 sq ft
Cordless Top Down/Bottom Up	19"	96"	10"	84"	44 sq ft
Cordless Plus	21"	72"	10"	72"	
Top Down/Bottom Up **	12"	72"	10"	72"	
Stationary Arch	12"	60"	8"	30"	
Movable Arch	12"	60"	8"	*	
Lift-Ease	12"	120"	10"	120"	
Skylights	16"	60"	10"	60"	
Motorized Wand	14"	144"	5"	144"	
Motorized	22"	144"	5"	144"	
PerfectFit	12"	144"	12"	144"	
Cellular Vertical	24"	144"	24"	120"	

\* Maximum drop for movable arch is 50% of width. Maximum warranted blind size is 100 sq ft

\*\*The limitations above are warranted. Some products can be made larger but will void warranty. Please call customer service rep for more information.

# Color Charts

Cell Shades

Product ID	Single Cell Light Filtering				Single Cell Blackout			
	3/8"	3/4"	3/4"	9/16"	3/8"	3/4"	3/4"	9/16"
	Spun Lace CS-3/8	Spun Lace CS-3/4	Smooth CS-3/4	Fire Retardant CS-9/16	Spun Lace CS-3/8	Spun Lace CS-3/4	Smooth CS-3/4	Fire Retardant CS-9/16
Refer to Chart	A	B	B	C	D	E	E	F
Cotton	PLS210-001	PLS410-001	PLS43C0-001	PLS310-001FR	PLS220-001	PLS420-001		PLS320-001FR
Snow White	PLS210-002	PLS410-002	PLS43C0-002			PLS420-002	PLS44C0-002	
Onion	PLS210-003	PLS410-003			PLS220-003	PLS420-003		
Alabaster	PLS210-004	PLS410-004			PLS220-004	PLS420-004		
Cream	PLS210-005	PLS410-005	PLS43C0-005				PLS44C0-005	
Fawn	PLS210-006	PLS410-006		PLS310-006FR	PLS220-006	PLS420-006		PLS320-006FR
Biscuit	PLS210-007	PLS410-007						
Pongee	PLS210-008	PLS410-008		PLS310-008FR		PLS420-008		PLS320-008FR
Ocher	PLS210-009	PLS410-009				PLS420-009		
Tan		PLS410-010						
Terra Cotta		PLS410-011						
Cocoa		PLS410-012				PLS420-012		
Spring Green		PLS410-013						
Water Green		PLS410-014						
Avocado		PLS410-015				PLS420-015		
Roseate		PLS410-016						
Stone Red		PLS410-018						
Agate Red		PLS410-019						
Bordeaux		PLS410-020				PLS420-020		
Gray Sheen		PLS410-021				PLS420-021	PLS44C0-021	
Marine Blue		PLS410-022						
Royal Gray		PLS410-023						
Jean Blue		PLS410-024				PLS420-024		
Black		PLS410-025				PLS420-025		
Wisteria		PLS410-026						
Anthracite		PLS410-030						
White Dove	PLS210-069	PLS410-069			PLS220-069	PLS420-069		
Winter White	PLS210-070	PLS410-070	PLS43C0-070	PLS310-070FR	PLS220-070	PLS420-070	PLS44C0-070	PLS320-070FR
Teal		PLS410-094						
Buff Yellow		PLS410-100						
Dark Chocolate	PLS210-326	PLS410-326				PLS420-326		
Antique Pewter		PLS410-346				PLS420-346		
Slate		PLS410-470				PLS420-470		

## Headrail & Bottomrail Color Chart

Color	Corded	Cordless & Lift-Ease	Color	Corded	Cordless & Lift-Ease	Color	Corded	Cordless & Lift-Ease
Cotton	001	001	Avocado	015	015	Teal	091	091
Snow White	002	002	Roseate	016	016	Buff Yellow	010	010
Onion	006	006	Stone Red	019	019	Dark Chocolate	326	326
Alabaster	006	006	Agate Red	019	019	Antique Pewter	025	025
Cream	006	006	Bordeaux	020	019	Slate	025	002
Fawn	006	006	Gray Sheen	021	091	Chantilly Lace	001	001
Biscuit	008	008	Marine Blue	028	091	French Press	326	326
Pongee	008	008	Royal Gray	023	025	Cotswold	006	006
Ocher	010	010	Jean Blue	023	025	Sparrow	012	012
Tan	010	010	Black	025	025	Linen Fawn	006	006
Terra Cotta	011	091	Wisteria	026	091	Linen Cocoa	012	012
Cocoa	012	012	Anthracite	025	025	Linen Sand	006	006
Spring Green	002	002	White Dove	001	001	Linen Light Gray	091	091
Water Green	014	015	Winter White	002	002			

Printed color may vary from true color.



Double Cell Light Filtering			Single Cell Specialty Fabrics						
	7/16"	7/16"	9/16"	9/16"	9/16"	9/16"	9/16"	9/16"	3/4"
	Spun Lace	Point Bond	Crushed	Sheer	Slub Woven	Woven	Linen	Point Bond	Bamboo
Product ID	CS-7/16	CS-7/16	CS-9/16	CS-9/16	CS-9/16	CS-9/16	CS-9/16	CS-9/16	CS-3/4
Refer to Chart	G	B	I	H	H	J	H	A	J
Cotton*	PLD310-001	PX3C0-001	PLS310-001CR	PLS360-001	PLS37A-001			PLS330-001	
Snow White*	PLD310-002	PX3C0-002		PLS360-002				PLS330-002	
Onion*	PLD310-003								
Alabaster*	PLD310-004			PLS360-004	PLS37A-004				
Cream*	PLD310-005								
Fawn*	PLD310-006		PLS310-006CR	PLS360-006		PLS370-006			
Biscuit*	PLD310-007								
Pongee*	PLD310-008								
Ocher*	PLD310-009								
Tan*	PLD310-010								
Terra Cotta*	PLD310-011								
Cocoa*	PLD310-012		PLS310-012CR	PLS360-012	PLS37A-012				
Spring Green*	PLD310-013								
Water Green*	PLD310-014								
Avocado*	PLD310-015								
Roseate*	PLD310-016								
Stone Red*	PLD310-018								
Agate Red*	PLD310-019								
Bordeaux*	PLD310-020								
Gray Sheen*	PLD310-021								
Marine Blue*	PLD310-022								
Royal Gray*	PLD310-023								
Jean Blue*	PLD310-024								
Black*	PLD310-025				PLS37A-025				
Wisteria*	PLD310-026								
Anthracite*									
White Dove*	PLD310-069		PLS310-069CR						
Winter White*	PLD310-070		PLS310-070CR						
Teal*									
Buff Yellow*									
Dark Chocolate*	PLD310-326				PLS37A-326				
Antique Pewter*									
Slate*									
Chantilly Lace*						PLS370-327			
French Press*						PLS370-329			
Cotswold*						PLS370-330			
Sparrow*						PLS370-331			
Linen Fawn*							PLS331-006		
Linen Cocoa*							PLS331-012		
Linen Sand*							PLS331-032		
Linen Light Gray*							PLS331-034		
Royal Gray									1RA-023
Antique Pewter									1RA-346
Misty Gray									1RA-514
Stone									1RA-519
Dark Gray Sheen									1RA-583

Cell Shades

Charting for Arches and Skylights can be found on page D10.

For Vertical Cell Shades please reference Charts L through M.

\* Colors available in only 9/16" cell sizes for Vertical Cell Shades.

Vertical Cell Shades	Single Cell 9/16"		
Light filtering	Chart L	Slub Woven	Chart N
Room Darkening	Chart M	Woven	Chart N
Crushed	Chart M	Sheer	Chart N
Point Bond	Chart L	Linen	Chart L

Or visit our extensive website: [www.a-manufacturing.net](http://www.a-manufacturing.net)



# Motorization

## How Motorize your Cell Shade with **somfy**®:

### Step #1. Motor Choice

- Must have one motor for every shade

### Step #2. Power Options

- Must have one power option for every shade

### Step #3. Control Options

- Must have a minimum of 1 user interface option

1. Motor Choice	
Lift Motor 12v	
	\$

2. Power Options		
12V Sealed Dual Wands	12V DC Plug in Transformer	Solar Pack
\$	\$	

3. Control Options				
Telis 1 Channel 4 Colors	Telis 4 Channel 4 Colors	Decoflex 1-5 Channels 4 Colors	MyLink Wi-Fi Controller	Home Automation
\$47	\$60	\$108 - \$125	\$165	Call for pricing



Please be aware that the heavier the shade the slower your motor will work. It may also burn out the battery quicker.

Cell Shades

### Power Options



Solar Pack



Re-Sealable Wand



DC Plug in Transformer

### Accessories



Sunis  
Sun sensor



Thermo Sunis  
Temperature and sun sensor

### Control Options



Telis 1 Channel  
4 Colors



Telis 4 Channel  
4 Colors



DecoFlex  
1-4 Channel  
4 Colors



MyLink  
Wi-Fi Controller

### Work up Sheet for Somfy Cell Shade Motorization:

		Cost	x	No. of Blinds	=	Total Cost
1	Motor Choice:					
2	Power Option Choice:					
3	User Interface Option Choice:					
Add up the totals and enter here for total cost:						

Lift-Ease or 2 on 1 head rail is recommended for blind sizes in the shaded area.

**Without these, Warranty does not apply to these sizes.**

The Lined area is the limitation for our cordless operation.

# Pricing Charts

Cell Shades

Chart A																	
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	473	489	572	669	737	834	882	1002	1044	1266	1387	1568	1850	2022	2198	14"	1 3/4"
42"	507	533	626	731	806	914	967	1102	1145	1389	1521	1722	2033	2226	2417	17"	
48"	547	577	678	792	877	996	1054	1198	1246	1514	1659	1874	2217	2425	2637	19"	1 7/8"
54"	589	621	732	854	943	1074	1138	1293	1349	1637	1794	2029	2399	2630	2855	22"	2"
60"	624	660	778	908	1007	1145	1212	1378	1437	1743	1911	2163	2557	2804	3049	24"	2 1/8"
66"	663	703	831	971	1076	1222	1296	1477	1537	1865	2049	2317	2742	3004	3269	26"	2 1/4"
72"	708	748	885	1033	1142	1303	1383	1574	1640	1990	2183	2469	2927	3208	3488	29"	2 3/8"
78"	746	802	939	1091	1213	1380	1466	1671	1740	2115	2317	2627	3109	3407	3707	31"	2 1/2"
84"	777	826	977	1142	1264	1443	1531	1743	1819	2206	2422	2741	3246	3559	3872	34"	2 3/4"
90"	819	871	1030	1201	1335	1521	1614	1841	1919	2329	2554	2895	3430	3761	4091	36"	3"
96"	854	909	1077	1256	1395	1592	1688	1927	2012	2439	2674	3031	3590	3937	4287	38"	3 1/4"
108"	931	993	1178	1372	1525	1740	1847	2109	2198	2670	2929	3320	3934	4316	4697	41"	
114"	1002	1070	1270	1480	1646	1881	1993	2277	2379	2887	3165	3589	4251	4669	5081	43"	
120"	1079	1155	1369	1597	1776	2026	2153	2459	2570	3120	3419	3877	4597	5045	5494	46"	3 3/4"
126"	1155	1236	1469	1711	1905	2177	2312	2642	2758	3350	3673	4167	4940	5423	5907	48"	

Chart B																	
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	549	573	643	721	761	896	960	1130	1218	1384	1475	1595	1884	2058	2231	14"	1 3/4"
42"	601	629	706	795	840	990	1062	1253	1350	1535	1636	1770	2089	2283	2482	17"	
48"	643	674	757	852	902	1065	1145	1350	1455	1656	1763	1910	2257	2468	2681	19"	1 7/8"
54"	686	720	812	909	965	1136	1227	1447	1560	1774	1891	2052	2422	2651	2878	22"	2"
60"	735	775	876	985	1044	1233	1329	1568	1691	1925	2052	2226	2631	2878	3129	24"	2 1/8"
66"	775	819	931	1041	1105	1309	1410	1663	1794	2047	2180	2366	2798	3063	3330	26"	2 1/4"
72"	828	876	994	1116	1185	1400	1511	1785	1927	2194	2342	2540	3004	3291	3576	29"	2 3/8"
78"	872	920	1045	1172	1247	1477	1592	1884	2033	2315	2471	2681	3171	3473	3778	31"	2 1/2"
84"	908	965	1099	1233	1310	1552	1676	1979	2140	2432	2594	2821	3337	3656	3975	34"	2 3/4"
90"	962	1020	1162	1306	1390	1645	1777	2101	2269	2584	2756	2995	3544	3886	4227	36"	3"
96"	1014	1077	1227	1377	1467	1740	1876	2221	2400	2735	2916	3169	3752	4113	4475	38"	3 1/4"
108"	1101	1167	1332	1494	1594	1888	2042	2417	2610	2975	3172	3450	4085	4480	4874	41"	
114"	1193	1269	1447	1626	1736	2059	2227	2634	2849	3245	3461	3763	4460	4891	5323	43"	
120"	1287	1369	1566	1756	1876	2227	2408	2850	3086	3511	3749	4079	4833	5303	5770	46"	3 3/4"
126"	1378	1475	1682	1888	2019	2395	2591	3069	3319	3783	4036	4392	5207	5714	6221	48"	

Chart C																	
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	712	832	940	1094	1184	1318	1437	1554	1665	1921	2173	2474	2732	2990	3248	14"	1 3/4"
42"	780	911	1033	1202	1304	1454	1588	1716	1841	2123	2400	2732	3020	3310	3595	17"	
48"	849	993	1125	1312	1424	1588	1733	1874	2016	2323	2627	2995	3311	3627	3942	19"	1 7/8"
54"	913	1073	1219	1421	1545	1722	1879	2036	2186	2523	2853	3254	3596	3945	4290	22"	2"
60"	982	1155	1313	1525	1662	1853	2027	2197	2360	2724	3078	3516	3888	4264	4635	24"	2 1/8"
66"	1048	1233	1404	1637	1782	1989	2173	2355	2533	2924	3303	3775	4177	4581	4982	26"	2 1/4"
72"	1114	1316	1498	1742	1901	2123	2323	2519	2708	3126	3535	4034	4464	4899	5330	29"	2 3/8"
78"	1184	1397	1591	1853	2018	2257	2466	2676	2881	3327	3761	4296	4755	5213	5677	31"	2 1/2"
84"	1252	1477	1683	1961	2136	2391	2616	2836	3052	3525	3988	4554	5045	5532	6023	34"	2 3/4"
90"	1315	1558	1776	2070	2257	2523	2762	2998	3226	3724	4213	4816	5334	5851	6371	36"	3"
96"	1383	1639	1870	2177	2380	2661	2907	3160	3401	3926	4439	5073	5622	6169	6715	38"	3 1/4"
108"	1517	1797	2056	2394	2616	2927	3208	3481	3747	4328	4893	5596	6201	6803	7408	41"	
114"	1648	1961	2241	2614	2853	3194	3502	3800	4096	4728	5344	6114	6775	7438	8102	43"	
120"	1783	2121	2429	2829	3094	3462	3797	4122	4441	5125	5799	6633	7357	8074	8796	46"	3 3/4"
126"	1918	2280	2616	3046	3330	3729	4090	4446	4788	5528	6254	7154	7934	8711	9491	48"	
	<b>24"</b>	<b>30"</b>	<b>36"</b>	<b>42"</b>	<b>48"</b>	<b>54"</b>	<b>60"</b>	<b>66"</b>	<b>72"</b>	<b>84"</b>	<b>96"</b>	<b>108"</b>	<b>120"</b>	<b>132"</b>	<b>144"</b>		
<b>Lift Ease</b>	250	275	288	300	313	325	338	350	375	388	438	463	475	488	500		
<b>Cordless</b>	561	561	561	586	624	649	687	713	751	803	819	828	854	X	X		
<b>Cordless Plus</b>	672	672	672	704	748	780	824	856	902	963	1013	X	X	X	X		
<b>Cordless TD/BU</b>	726	751	790	828	879	904	930	955	980	1006	1031	X	X	X	X		

# Pricing Charts

Lift-Ease or 2 on 1 head rail is recommended for blind sizes in the shaded area.

**Without these, Warranty does not apply to these sizes.**  
The Lined area is the limitation for our cordless operation.

Cell Shades

**Chart D**

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	573	671	752	852	916	1022	1113	1207	1298	1847	2109	2184	2462	2693	2929	14"	1 3/4"
42"	626	735	828	936	1007	1124	1230	1332	1434	2039	2326	2416	2719	2980	3240	17"	
48"	684	803	902	1022	1104	1229	1346	1457	1569	2232	2548	2641	2980	3266	3552	19"	1 7/8"
54"	738	868	977	1108	1195	1333	1460	1582	1703	2423	2767	2872	3240	3552	3866	22"	2"
60"	792	936	1054	1192	1287	1437	1574	1708	1841	2614	2987	3103	3499	3840	4179	24"	2 1/8"
66"	848	1000	1127	1278	1381	1543	1689	1833	1973	2812	3211	3334	3760	4123	4489	26"	2 1/4"
72"	902	1067	1204	1363	1475	1646	1805	1956	2110	3004	3431	3561	4020	4409	4802	29"	2 3/8"
78"	956	1131	1278	1449	1565	1750	1918	2083	2243	3194	3649	3794	4279	4697	5112	31"	2 1/2"
84"	1014	1199	1355	1532	1659	1857	2033	2210	2380	3390	3871	4022	4541	4982	5426	34"	2 3/4"
90"	1067	1264	1429	1620	1750	1959	2150	2335	2516	3582	4090	4250	4802	5269	5737	36"	3"
96"	1121	1330	1503	1703	1845	2064	2263	2462	2651	3774	4308	4481	5059	5556	6047	38"	3 1/4"
108"	1232	1461	1656	1873	2030	2274	2493	2708	2923	4160	4752	4942	5579	6126	6675	41"	
114"	1343	1594	1807	2047	2218	2482	2724	2961	3192	4544	5193	5400	6100	6698	7297	43"	
120"	1447	1726	1956	2215	2400	2691	2955	3212	3464	4931	5631	5861	6621	7271	7923	46"	3 3/4"
126"	1558	1856	2107	2385	2588	2900	3183	3461	3733	5317	6073	6317	7142	7843	8544	48"	

**Chart E**

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	629	734	829	963	1044	1162	1269	1370	1471	1694	1916	2181	2579	2821	3066	14"	1 3/4"
42"	689	803	909	1061	1151	1281	1398	1514	1623	1870	2116	2411	2850	3122	3393	17"	
48"	749	876	993	1156	1255	1398	1528	1652	1779	2049	2317	2639	3123	3422	3720	19"	1 7/8"
54"	806	946	1074	1252	1361	1518	1657	1794	1928	2226	2517	2869	3394	3721	4046	22"	2"
60"	865	1017	1158	1346	1467	1636	1787	1936	2081	2402	2715	3100	3669	4022	4375	24"	2 1/8"
66"	923	1088	1239	1443	1572	1753	1916	2076	2234	2579	2915	3330	3940	4322	4700	26"	2 1/4"
72"	983	1161	1321	1537	1677	1870	2049	2221	2388	2756	3115	3556	4213	4621	5030	29"	2 3/8"
78"	1044	1232	1401	1636	1780	1990	2177	2360	2542	2932	3316	3789	4487	4919	5357	31"	2 1/2"
84"	1104	1303	1484	1730	1887	2109	2308	2502	2693	3109	3516	4016	4760	5219	5682	34"	2 3/4"
90"	1159	1373	1566	1827	1990	2226	2436	2644	2846	3285	3715	4244	5031	5522	6012	36"	3"
96"	1219	1444	1648	1921	2098	2346	2563	2785	3001	3461	3915	4475	5306	5821	6337	38"	3 1/4"
108"	1336	1585	1813	2112	2308	2582	2829	3068	3305	3815	4316	4934	5850	6420	6991	41"	
114"	1452	1730	1976	2306	2517	2816	3088	3351	3610	4170	4714	5392	6394	7018	7646	43"	
120"	1574	1868	2141	2494	2728	3054	3348	3636	3917	4521	5115	5850	6943	7620	8299	46"	3 3/4"
126"	1691	2012	2308	2687	2935	3290	3606	3920	4222	4874	5515	6308	7485	8219	8954	48"	

**Chart F**

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	893	1039	1175	1367	1480	1648	1797	1944	2084	2400	2718	3092	3416	3735	4060	14"	1 3/4"
42"	977	1138	1290	1503	1631	1817	1982	2144	2300	2653	3001	3416	3775	4136	4495	17"	
48"	1064	1241	1404	1639	1779	1982	2166	2342	2520	2903	3283	3741	4137	4533	4928	19"	1 7/8"
54"	1142	1341	1523	1774	1928	2153	2349	2545	2733	3157	3565	4066	4497	4930	5364	22"	2"
60"	1225	1443	1642	1907	2078	2318	2533	2742	2950	3405	3848	4395	4859	5329	5793	24"	2 1/8"
66"	1312	1545	1759	2046	2227	2486	2718	2944	3168	3656	4131	4720	5221	5727	6226	26"	2 1/4"
72"	1392	1646	1873	2178	2375	2653	2903	3149	3385	3906	4415	5042	5579	6123	6664	29"	2 3/8"
78"	1480	1745	1987	2318	2522	2821	3085	3343	3602	4157	4700	5371	5944	6516	7097	31"	2 1/2"
84"	1563	1845	2106	2451	2674	2989	3269	3547	3818	4407	4987	5691	6305	6915	7529	34"	2 3/4"
90"	1645	1947	2220	2590	2821	3157	3453	3746	4034	4655	5269	6016	6665	7314	7962	36"	3"
96"	1726	2047	2335	2722	2975	3327	3635	3948	4253	4907	5549	6343	7028	7710	8395	38"	3 1/4"
108"	1898	2246	2568	2995	3269	3658	4011	4347	4686	5409	6117	6995	7747	8507	9261	41"	
114"	2061	2451	2802	3268	3565	3992	4378	4754	5118	5910	6681	7643	8469	9297	10129	43"	
120"	2231	2650	3037	3538	3866	4328	4748	5155	5552	6408	7248	8292	9198	10095	10995	46"	3 3/4"
126"	2395	2850	3269	3809	4162	4663	5112	5557	5986	6907	7818	8942	9916	10889	11862	48"	
	<b>24"</b>	<b>30"</b>	<b>36"</b>	<b>42"</b>	<b>48"</b>	<b>54"</b>	<b>60"</b>	<b>66"</b>	<b>72"</b>	<b>84"</b>	<b>96"</b>	<b>108"</b>	<b>120"</b>	<b>132"</b>	<b>144"</b>		
Lift Ease	250	275	288	300	313	325	338	350	375	388	438	463	475	488	500		
Cordless	561	561	561	586	624	649	687	713	751	803	819	828	854	X	X		
Cordless Plus	672	672	672	704	748	780	824	856	902	963	1013	X	X	X	X		
Cordless TD/BU	726	751	790	828	879	904	930	955	980	1006	1031	X	X	X	X		



Lift-Ease or 2 on 1 head rail is recommended for blind sizes in the shaded area.

**Without these, Warranty does not apply to these sizes.**

The Lined area is the limitation for our cordless operation.

# Pricing Charts

Cell Shades

Chart G																	
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	515	524	589	669	740	983	1079	1178	1275	1409	1483	1663	2059	2363	2568	14"	1 3/4"
42"	558	569	643	729	806	1074	1182	1289	1397	1543	1625	1824	2257	2594	2818	17"	
48"	603	615	697	789	874	1165	1283	1400	1518	1680	1765	1985	2457	2824	3068	19"	1 7/8"
54"	646	658	748	849	942	1256	1384	1514	1639	1813	1907	2147	2659	3058	3320	22"	2"
60"	686	704	800	909	1008	1347	1484	1623	1760	1947	2050	2308	2858	3288	3573	24"	2 1/8"
66"	731	749	854	968	1076	1440	1585	1734	1884	2083	2190	2468	3060	3516	3824	26"	2 1/4"
72"	772	797	906	1028	1145	1531	1686	1845	2005	2218	2331	2628	3259	3749	4077	29"	2 3/8"
78"	817	843	960	1090	1210	1622	1788	1958	2123	2352	2476	2790	3458	3979	4330	31"	2 1/2"
84"	862	889	1013	1150	1278	1711	1890	2067	2244	2489	2614	2949	3658	4211	4581	34"	2 3/4"
90"	906	936	1065	1209	1347	1804	1990	2180	2368	2624	2758	3109	3861	4443	4831	36"	3"
96"	948	980	1118	1270	1415	1894	2095	2289	2488	2758	2900	3269	4060	4674	5084	38"	3 1/4"
108"	1036	1073	1224	1390	1549	2075	2295	2513	2733	3027	3182	3592	4458	5136	5589	41"	
114"	1122	1164	1329	1512	1683	2260	2499	2736	2974	3297	3465	3914	4857	5596	6095	43"	
120"	1205	1253	1435	1629	1817	2440	2701	2958	3219	3567	3749	4236	5260	6061	6598	46"	3 3/4"
126"	1292	1346	1541	1750	1955	2625	2903	3180	3461	3835	4033	4555	5659	6522	7102	48"	

Chart H																	
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	678	792	896	1042	1127	1255	1369	1480	1586	1830	2070	2357	2602	2849	3094	14"	1 3/4"
42"	743	868	983	1145	1242	1384	1512	1634	1753	2021	2286	2602	2876	3152	3424	17"	
48"	809	945	1071	1249	1357	1512	1649	1785	1921	2212	2502	2852	3154	3454	3754	19"	1 7/8"
54"	869	1022	1161	1353	1471	1640	1790	1939	2081	2403	2718	3098	3425	3757	4085	22"	2"
60"	936	1099	1250	1452	1583	1765	1930	2092	2247	2594	2932	3348	3703	4060	4415	24"	2 1/8"
66"	999	1175	1338	1558	1697	1894	2070	2243	2412	2785	3146	3595	3979	4362	4745	26"	2 1/4"
72"	1062	1253	1427	1659	1810	2021	2212	2399	2579	2977	3367	3841	4251	4666	5076	29"	2 3/8"
78"	1127	1330	1515	1765	1922	2149	2349	2548	2744	3168	3582	4091	4529	4965	5408	31"	2 1/2"
84"	1192	1406	1603	1867	2035	2277	2491	2701	2907	3357	3798	4336	4805	5269	5736	34"	2 3/4"
90"	1252	1484	1691	1972	2149	2403	2631	2855	3072	3547	4012	4586	5079	5572	6067	36"	3"
96"	1316	1560	1780	2073	2266	2534	2769	3009	3239	3740	4228	4831	5354	5875	6396	38"	3 1/4"
108"	1444	1711	1958	2280	2491	2789	3055	3314	3569	4122	4660	5329	5905	6479	7055	41"	
114"	1569	1867	2135	2489	2718	3041	3336	3619	3900	4503	5090	5822	6453	7083	7717	43"	
120"	1699	2019	2314	2695	2946	3297	3616	3926	4230	4882	5523	6317	7008	7690	8376	46"	3 3/4"
126"	1827	2172	2491	2901	3171	3552	3895	4234	4560	5264	5956	6813	7556	8296	9039	48"	

Chart I																	
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	849	990	1119	1303	1409	1569	1711	1851	1985	2286	2588	2944	3253	3558	3868	14"	1 3/4"
42"	931	1084	1229	1432	1554	1731	1888	2042	2190	2526	2858	3253	3595	3938	4281	17"	
48"	1013	1182	1338	1560	1694	1888	2063	2231	2400	2764	3128	3562	3940	4318	4694	19"	1 7/8"
54"	1088	1278	1451	1689	1836	2050	2237	2423	2604	3006	3396	3872	4282	4695	5108	22"	2"
60"	1167	1373	1563	1816	1979	2207	2412	2611	2810	3243	3664	4185	4628	5075	5517	24"	2 1/8"
66"	1249	1471	1676	1948	2121	2368	2588	2804	3017	3482	3934	4495	4973	5454	5930	26"	2 1/4"
72"	1326	1568	1783	2075	2263	2526	2764	3000	3223	3720	4205	4802	5313	5831	6346	29"	2 3/8"
78"	1409	1662	1893	2207	2402	2687	2938	3185	3431	3960	4476	5115	5660	6206	6759	31"	2 1/2"
84"	1489	1757	2005	2334	2547	2847	3114	3377	3636	4197	4749	5420	6004	6585	7169	34"	2 3/4"
90"	1566	1854	2113	2466	2687	3006	3288	3567	3841	4433	5018	5730	6348	6966	7583	36"	3"
96"	1645	1950	2224	2593	2833	3168	3462	3760	4051	4672	5286	6041	6693	7344	7996	38"	3 1/4"
108"	1807	2140	2446	2852	3114	3484	3820	4140	4463	5152	5825	6662	7379	8102	8820	41"	
114"	1962	2334	2668	3112	3396	3803	4170	4527	4874	5628	6363	7279	8065	8854	9647	43"	
120"	2124	2523	2892	3370	3683	4122	4521	4910	5287	6103	6903	7897	8760	9614	10471	46"	3 3/4"
126"	2281	2715	3114	3627	3963	4441	4868	5292	5700	6579	7445	8517	9445	10371	11298	48"	
	<b>24"</b>	<b>30"</b>	<b>36"</b>	<b>42"</b>	<b>48"</b>	<b>54"</b>	<b>60"</b>	<b>66"</b>	<b>72"</b>	<b>84"</b>	<b>96"</b>	<b>108"</b>	<b>120"</b>	<b>132"</b>	<b>144"</b>		
<b>Lift Ease</b>	250	275	288	300	313	325	338	350	375	388	438	463	475	488	500		
<b>Cordless</b>	561	561	561	586	624	649	687	713	751	803	819	828	854	X	X		
<b>Cordless Plus</b>	672	672	672	704	748	780	824	856	902	963	1013	X	X	X	X		
<b>Cordless TD/BU</b>	726	751	790	828	879	904	930	955	980	1006	1031	X	X	X	X		

# Pricing Charts

Lift-Ease or 2 on 1 head rail is recommended for blind sizes in the shaded area.

**Without these, Warranty does not apply to these sizes.**  
The Lined area is the limitation for our cordless operation.

Chart J

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cord	Stack
36"	608	711	803	935	1011	1126	1228	1328	1423	1642	1857	2115	2334	2556	2776	14"	1 3/4"
42"	667	779	882	1028	1115	1242	1357	1466	1572	1813	2051	2334	2581	2828	3072	17"	
48"	726	848	961	1120	1217	1357	1480	1601	1723	1985	2245	2558	2830	3099	3367	19"	1 7/8"
54"	780	917	1041	1214	1319	1471	1606	1740	1867	2156	2438	2780	3073	3370	3665	22"	2"
60"	839	986	1122	1303	1420	1583	1731	1877	2016	2327	2630	3004	3322	3643	3961	24"	2 1/8"
66"	896	1054	1200	1398	1523	1700	1857	2012	2164	2499	2823	3225	3569	3914	4257	26"	2 1/4"
72"	953	1124	1281	1488	1624	1813	1985	2152	2314	2670	3020	3446	3814	4186	4554	29"	2 3/8"
78"	1011	1193	1359	1583	1725	1928	2108	2286	2462	2842	3214	3670	4063	4454	4851	31"	2 1/2"
84"	1069	1261	1438	1675	1825	2043	2235	2423	2608	3012	3408	3890	4311	4727	5146	34"	2 3/4"
90"	1123	1332	1517	1769	1928	2156	2361	2561	2756	3182	3600	4114	4557	4999	5443	36"	3"
96"	1181	1400	1597	1860	2033	2274	2484	2700	2906	3355	3793	4334	4803	5270	5738	38"	3 1/4"
108"	1296	1535	1756	2045	2235	2502	2741	2973	3202	3698	4181	4781	5298	5813	6330	41"	
114"	1408	1675	1915	2233	2438	2729	2993	3247	3499	4040	4566	5223	5789	6355	6923	43"	
120"	1524	1812	2076	2417	2643	2958	3244	3522	3795	4380	4955	5667	6287	6900	7515	46"	3 3/4"
126"	1639	1949	2235	2603	2845	3186	3495	3799	4091	4723	5344	6113	6779	7443	8110	48"	
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"		
Lift Ease	236	260	272	283	295	307	319	330	354	366	413	437	448	461	472		
Cordless	529	529	529	553	589	612	648	673	709	757	773	781	806	X	X		
Cordless Plus	634	634	634	664	706	736	777	808	850	909	956	X	X	X	X		
Cordless TD/BU	685	709	745	781	829	853	877	901	925	949	973	X	X	X	X		

Cell Shades

Chart L

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cellular Vertical	
36"	1980	2175	2384	2579	2762	2905	3113	3296	3465	3817	4156	4794	5054	5315	5562		
42"	2032	2241	2462	2670	2840	3035	3244	3439	3621	3986	4312	5015	5315	5602	5862		
48"	2071	2319	2540	2749	2944	3152	3361	3582	3765	4169	4572	5250	5536	5875	6175		
54"	2123	2371	2605	2840	3048	3257	3478	3713	3921	4351	4781	5471	5797	6162	6461		
60"	2162	2423	2684	2918	3152	3374	3608	3843	4077	4533	4989	5693	6057	6422	6774		
66"	2228	2488	2762	3009	3257	3491	3752	3986	4234	4703	5185	5914	6318	6709	7087		
72"	2280	2553	2840	3113	3361	3595	3856	4116	4377	4885	5393	6162	6552	6982	7386		
78"	2319	2605	2905	3179	3465	3726	3986	4273	4533	5054	5602	6409	6813	7269	7686		
84"	2371	2670	2970	3257	3556	3843	4129	4416	4690	5224	5797	6631	7087	7569	7998		
90"	2410	2723	3048	3348	3674	3947	4260	4546	4846	5393	6018	6852	7347	7829	8298		
96"	2449	2801	3113	3452	3765	4064	4377	4690	4989	5588	6227	7087	7595	8116	8611		
108"	2514	2866	3218	3543	3882	4208	4546	4872	5185	5810	6474	7373	7920	8467	9002		
120"	2605	2996	3374	3726	4090	4442	4794	5133	5471	6162	6878	7816	8402	9015	9575		

Chart M

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	Cellular Vertical	
36"	2304	2553	2802	3037	3260	3469	3705	3941	4150	4595	5433	5891	6219	6598	6939		
42"	2383	2618	2906	3168	3404	3627	3888	4137	4386	4857	5721	6206	6612	7017	7384		
48"	2448	2723	3011	3286	3535	3797	4072	4347	4595	5119	5996	6546	6952	7410	7816		
54"	2527	2815	3129	3417	3692	3954	4255	4543	4818	5368	6310	6860	7305	7868	8248		
60"	2592	2906	3234	3535	3823	4124	4438	4739	5040	5630	6585	7201	7698	8209	8693		
66"	2671	2998	3338	3653	3980	4294	4622	4949	5263	5878	6886	7528	8078	8615	9125		
72"	2736	3077	3443	3797	4137	4464	4818	5145	5486	6153	7188	7881	8431	9020	9596		
78"	2789	3168	3548	3915	4281	4635	4988	5368	5721	6415	7476	8222	8811	9426	10042		
84"	2854	3247	3653	4032	4425	4805	5184	5551	5918	6651	7777	8562	9204	9845	10461		
90"	2933	3338	3757	4163	4582	4962	5368	5761	6153	6900	8091	8890	9557	10238	10866		
96"	2998	3443	3862	4281	4726	5145	5551	5970	6376	7161	8379	9230	9937	10657	11364		
108"	3077	3535	4006	4438	4910	5342	5787	6219	6638	7502	8719	9636	10395	11168	11927		
120"	3221	3731	4216	4700	5198	5669	6140	6612	7070	7999	8994	10277	11102	11953	12948		

# Pricing Charts

Chart N		Cellular Vertical													
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
36"	2213	2435	2684	2906	3116	3312	3522	3757	3954	4373	5158	5564	5878	6232	6533
42"	2278	2514	2789	3024	3247	3456	3705	3941	4163	4608	5407	5865	6232	6612	6952
48"	2343	2605	2880	3129	3365	3613	3862	4124	4360	4844	5656	6166	6546	6978	7332
54"	2409	2684	2972	3247	3509	3744	4032	4307	4556	5067	5944	6454	6873	7345	7737
60"	2474	2762	3077	3352	3627	3901	4203	4491	4766	5315	6193	6769	7214	7698	8130
66"	2540	2854	3168	3469	3771	4059	4373	4674	4962	5538	6467	7057	7567	8065	8536
72"	2605	2920	3273	3600	3915	4216	4543	4857	5171	5774	6742	7384	7895	8431	8955
78"	2658	3011	3365	3705	4045	4373	4700	5040	5381	6022	7004	7698	8235	8798	9361
84"	2710	3077	3456	3810	4176	4517	4883	5224	5564	6232	7279	7999	8588	9191	9741
90"	2776	3168	3561	3928	4307	4674	5040	5420	5774	6467	7554	8300	8916	9544	10120
96"	2854	3247	3653	4045	4451	4818	5211	5603	5983	6690	7842	8601	9256	9898	10487
108"	2920	3325	3744	4163	4595	4975	5381	5787	6193	6913	8117	8903	9583	10251	10866
120"	2985	3417	3849	4268	4739	5119	5538	5983	6389	7148	8392	9204	9924	10605	11233

Arches - 3/4" Light Filtering											
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary Arch	883	1010	1108	1266	1437	1629	1832	2054	2297	2584	3003
Movable Arch	1314	1480	1638	1914	2075	2361	2709	2886	3147	X	X
Stationary Qtr Circle	1138	1306	1486	1704	2034	X	X	X	X	X	X
Movable Qtr Circle	1138	1306	1486	1704	X	X	X	X	X	X	X

Arches - 3/4" Room Darkening											
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary Arch	959	1093	1346	1491	1723	1981	2277	2608	3138	3351	3778
Movable Arch	1404	1692	1860	2148	2459	2831	3202	3628	4054	X	X
Stationary Qtr Circle	1257	1564	1734	2000	2450	2842	3265	X	X	X	X
Movable Qtr Circle	1257	1564	1734	2000	X	X	X	X	X	X	X


Skylight - 3/4" Light Filtering							
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"
36"	1316	1489	1676	1874	2049	2257	2419
42"	1390	1588	1811	2022	2257	2431	2644
48"	1477	1711	1931	2158	2419	2621	2858
54"	1565	1848	2075	2358	2621	2753	3064
60"	1617	1922	2184	2445	2805	3014	3288

Skylight - 3/4" Room Darkening							
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"
36"	1588	1822	2036	2257	2445	2696	2916
42"	1702	1922	2184	2431	2696	2926	3162
48"	1790	2075	2331	2607	2904	3140	3425
54"	1874	2184	2506	2781	3140	3353	3659
60"	1964	2297	2621	2941	3365	3613	3934

Cell Shades

# Samples


## Samples




### Cellular Shades

Our complete collection of Cellular Shade Fabrics  
139 Different Sku's  
Sku #SAI020  
\$85.00


## Arches, Shapes and Specialties




Standard Arch




Half Arch




Circle




Hexagon



Octagon



Fanned Bottom Angle



Fanned Angle


All Specially shapes require a template for manufacturing.

No deductions are taken on templates.


Cell Shades

# Measuring Instructions

**Tools needed:**



Tape Measure  
Pencil








Order Form  
Cut Out Diagram  
Angled Diagram

Follow lettered guides for correct measuring and cut-outs.

Please Note:

- When Measuring for an inside mount, measure in three different places and take the smallest measurement. This ensures that your shade will fit inside the window sill.
- Fill out appropriate Cut-Out or Angled Shade diagram order form to make sure your blind is ordered correctly.
- When measuring for a Cut-Out, think of the blind in a flat filled up or down position. This will allow for adequate space around your cut out.

## Standard Shade:



Notch & Angled Minimums & Maximums												
Measurement	A		B		C		D		E		F	
	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
Side Bottom	*	*	*	*	1/4"	2"	2"	5"	*	*	*	*
Side Center	*	*	*	*	1/4"	2"	2"	5"	1/4"	2"	*	*
Angled	*	*	*	*	*	*	*	*	N/A	N/A	N/A	N/A


\* Reference chosen products Minimums & Maximums

Cell Shades



# Install Instructions

## Tools needed:




Drill

Level

Pencil


## Included with shade:




Screws

Mounting Bracket

## Inside Mount



## Outside Mount



### Inside Mount

1. For an inside mount, you will mount the brackets inside the window or door casings.
2. The installation brackets are designed to be mounted flat against the top of the window or door casing surface.
3. Mount the brackets to the top of the window or door frame about 2 1/2" in from the edge of the window frame. Make sure that the brackets are aligned with one another.
4. For a flush mount, you will want to put the brackets in from the edge of the casing about 3/16" from the front of the bracket.

### Outside Mount

1. For an outside mount, you will mount the brackets outside the window or door casings. First, center the shade over the opening at the desired height. Mark the position of the ends of the headrail on the wall.
2. Mount the brackets to the top of the window or door frame about 2 1/2" in from the edge of the window frame. Make sure that the brackets are aligned with one another.

### Installation

After brackets are installed, follow these directions:

1. Snap the valance clips over the front lip of the headrail before putting the blind into the already mounted box brackets. Keeping in mind to position the clips away from the ladder and cords.
2. Insert the headrail into the box brackets; if an auxiliary bracket is being used, make sure that is connected with the headrail as well. The box bracket swivel covers can be opened using a screwdriver.
3. Close the swivel cover on the box bracket to lock the headrail into place. If your blind does not fit snugly: open the swivel covers on the box brackets, remove the blind and pry out the tab on the headrail ends. Reinstall the blind.
  - If your blind is too snug: open the swivel covers on the box brackets, remove the blind and press the tabs in on the headrail ends. Reinstall the blind.
  - Slide or snap in the 2 valance slats, one at a time, into the clear, grooved arms of the clips. If your valance slats need to be altered, you can trim the slats with household scissors.


### Center Support Brackets

If your blind is over a certain width, you will have been supplied center support brackets. Center supports are meant to be spaced evenly, and in a place where they will not interfere with any lift cords or slat ladders. Center support brackets should be mounted level with the left and right mounting box brackets.

# PerfectFit Instructions

Before you begin, ensure there is a 1/4" clearance all around the outside of your window beading to allow enough room for the Perfect Fit framework. Also check that the seals of your window frame do not protrude over the glass more than 6mm and that they are compressible.

## Measure:



**Step #1 - Measure Glass Size**




**Step #2 - Measure Window Depth**



Measure the width and the drop of your window size accurately with a digital measuring tape. We recommend that you measure in both corners and the middle of your win-

Measure the depth of the window using the depth gauge. This gives you the measurement from the face of the window frame to the glass (this is normally 3/4" or 15/16") and will determine the size of the window fixing brackets you

## Install:



**Step #1 - Insert Brackets**

For the correct spacing distance of the brackets (85mm), place the credit card into a corner of the window.

Line up the window fixing bracket at the base of the card (or top of the card depending upon which corner of the window you are working) and fit the bracket by pushing it between the glass and the rubber seal on the window. Using the credit card guarantees a perfect line up for each of the holes in your frame with each bracket



**Step #2 - Attaching Frame to Window**

Line up the holes in the frame with the window fixing brackets. Firmly press down the frame onto each bracket on one side at a time to ensure easier installation

Your PerfectFit Shade is now installed!



# Cell Shade General Warranty

## Statement of Warranty

A&I Manufacturing is proud to extend a Limited Lifetime Warranty on our Cellular Shade. Each product is warranted to the original residential retail purchaser to be free from manufacturing defects in materials and workmanship as long as the product remains in the original window. This Limited Lifetime Warranty is not valid for products used for commercial use, rentals, and non-residential use in which cases there is a Limited 1 Year Warranty.

Somfy Motorization offers a 5 year warranty. Motorization offered from Somfy will be free from defects in materials and workmanship for a period of five years from the date of purchase. Batteries do not come with a warranty. Motor warranty can be voided if incorrect type of batteries are used to power the motor.

**A&I proudly offers a 5 Year Limited Lifetime Warranty on all cords and components for all of our Cellular product lines for residential use.**



## Warranty Exclusions

This Limited Lifetime Warranty does not cover any product that fails due to:

- Accidents
- Alteration
- Misuse
- Abuse/Extraordinary Use
- Misapplication
- Improper handling
- Improper Installation
- Any conditions caused by normal wear and tear over the passage of time
- Cleaning
- Loss of color intensity
- Exposure to salt-air, or extreme heat
- Damage from insects or pets
- Damage from water
- Yellowing or cracking of plastic parts with the passage of time

## Cord & Components Warranty

This Limited Lifetime Warranty **does not** cover transportation costs to and from the retailer, costs of removal, re-measure, or reinstallation of product, or any incidental or consequential damages.

## Warranty Remedies

If an A&I Manufacturing product is found to be defective in materials or workmanship, we will, at our discretion: repair, replace or refund the cost of the product which fails to conform to this Limited Lifetime Warranty.

Colors do vary from lot to lot and may not exactly match sample swatch or previously purchased product. Discontinued items or colors will be replaced with the closest equivalent available. This shall be the sole remedy under this Limited Lifetime Warranty.

## To Obtain Service:

Please return product, along with your original sales receipt or work order, to the original retailer from which the product was purchased and they will return the product to A&I Manufacturing.



**Cellular Shade**  
**ORDER FORM**

Please Fill Out  
Completely &

Sold To: \_\_\_\_\_ Ship To: \_\_\_\_\_

PO #: \_\_\_\_\_  
Side Mark: \_\_\_\_\_  
Quote #: \_\_\_\_\_  
Date: \_\_\_\_\_

Ordered By: \_\_\_\_\_  
Phone #: \_\_\_\_\_  
Fax #: \_\_\_\_\_  
Email: \_\_\_\_\_  
Account #: \_\_\_\_\_

Room Codes	Room	Room Codes	Room
ENT	Entry	BTH	Bath
LV	Living Room	MBTH	Master Bath
KT	Kitchen	GA	Garage
DR	Dinning Room	LDR	Laundry
BR#	Bedroom (1, 2, 3)	FR	Family Room
MBR	Master Bed Room	OF	Office

- A&I Delivery
- Will Call
- Fed Ex
- Freight

Item Code	Cord	Length Defaults
CS-3/4	3/4" Cell Shade	6" - 28" = 12"    84 1/8" - 96" = 48"
CS-3/8	3/8" Cell Shade	28 1/8" - 48" = 24"    96 1/8" - 108" = 60"
CS-7/16	7/16" Cell Shade	48 1/8" - 60" = 30"    108 1/8" - 126" = 72"
CS9/16	9/16" Cell Shade	60 1/8" - 72" = 36"    126 1/8" - 144" = 96"
		72 1/8" - 84" = 40"    144" - "+" = 144"

Line #	Room Code	Qty	Width	Height	Color		Mount		Control		Special Control Option				Notes	Price
					Number	Name	IS	OS	Location	TDBU	TDBU Cordless	Arch	Skylight	Motor		
1																
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																
13																
14																
15																

Additional Notes: \_\_\_\_\_

Revised 9/22/16

Sub-Total	
Surcharges/ Freight	
Total	

Credit Card Authorization Signature: \_\_\_\_\_  
Orders cannot be cancelled once production has started. All products are custom made and are not subject to change or cancellation once production has begun.

Customer Service: 800-283-6112  
Fax: 800-276-1773



**Vertical Cell Shade  
ORDER FORM**

Please Fill Out  
Completely &

Sold To:	Ship To:
----------	----------

PO #: \_\_\_\_\_  
 Side Mark: \_\_\_\_\_  
 Quote #: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Ordered By: \_\_\_\_\_  
 Phone #: \_\_\_\_\_  
 Fax #: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Account #: \_\_\_\_\_

Room Codes	Room	Room Codes	Room	Room
ENT	Entry	BTH	Bath	
LV	Living Room	MBTH	Master Bath	
KT	Kitchen	GA	Garage	
DR	Dinning Room	LDR	Laundry	
BK#	Bedroom (1, 2, 3)	FR	Family Room	
MBR	Master Bed Room	OF	Office	

<input type="checkbox"/> A&I Delivery
<input type="checkbox"/> Will Call
<input type="checkbox"/> Fed Ex
<input type="checkbox"/> Freight

Line #	Room Code	Qty	Width	Height	Color		Opening			Notes	Price
					Number	Name	One Way	Center Open	Center Stack		
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											

Additional Notes:	Revised 9/22/16						
<p>Customer Service: 800-283-6112          Fax: 800-276-1773</p> <p style="text-align: right;">Credit Card Authorization Signature: _____  <small>Orders cannot be cancelled once production has started. All products are custom made and are not subject to change or cancellation once production has begun.</small></p>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center; border: 1px solid black;">Sub-Total</td> <td style="width: 50%;"></td> </tr> <tr> <td style="text-align: center; border: 1px solid black;">Surcharges/ Freight</td> <td></td> </tr> <tr> <td style="text-align: center; border: 1px solid black;">Total</td> <td></td> </tr> </table>	Sub-Total		Surcharges/ Freight		Total	
Sub-Total							
Surcharges/ Freight							
Total							